

# Neomounts®




LEVEL series

---

WL30 series  
Fixed

Range specification


- 24-86" | 61-218,4 cm
- 50x50 - 800x400 mm
- 0-70 kg | 0-154,3 lbs



WL35 series  
Tilt

Range specification


- 24-86" | 61-218,4 cm
- 75x75 - 800x400 mm
- 0-70 kg | 0-154,3 lbs



WL40 series  
Full motion

Range specification

- 32-75" | 81,3-190,5 cm
- 100x100 - 800x400 mm
- 0-45 kg | 0-99,2 lbs





Installation made easy

Neomounts complete easy install wall mount range with fixed, tiltable and full motion wall mounts is specifically designed to give you the best experience possible; not only when using the mount, but also when installing it.



Magnetic pull & release

Several mounts feature the nifty magnetic pull & release system, which allows you to attach the TV in a wink of an eye and secure the TV in a safe and solid manner. Following installation, the pull & release straps can be easily hidden behind the screen by clicking the magnet to the mount. The models which do not have the magnetic pull & release system are equipped with an easy-release VESA system, to quickly (de-)attach the VESA to the mount.



Spirit level

All wall mounts, with the exception of the WL40 series, include a spirit level to ensure easy installation. The Neomounts 550-models feature an integrated spirit level, while the 850-models have a separate magnetic spirit level, which can also be used for other purposes, in addition to installing the mount.




Fixing template

All wall mounts in the 850 series have a fixing template included in the packaging, to make installation of the mount even easier.



Level adjustment

Various mounts offer height and level adjustment, after installation to the wall. This guarantees the perfect installation of your wall mount.



Lockable

It is possible to lock various models, using the special anti-theft screw which is included with the wallmount, or with a padlock (not included).



Efficiently packaged

The wall mounts are clearly packaged and all components are neatly organised, to make installation as simple and effortless as possible.


The packaging of the Neomounts 850-models include a special bolt box, making the installation process even more efficient.



WL30S series  
Fixed

Range specification


- 24-98" | 61-248,9 cm
- 50x50 - 800x400 mm
- 0-100 kg | 0-220,5 lbs



WL35S series  
Tilt

Range specification


- 24-98" | 61-248,9 cm
- 75x75 - 800x400 mm
- 0-100 kg | 0-220,5 lbs



WL40S series  
Full motion

Range specification

- 32-86" | 81,3-218,4 cm
- 100x100 - 800x400 mm
- 0-60 kg | 0-132,3 lbs




# Range overview


Fixed




WL30-550BL12



WL30-550BL14



WL30-550BL16



WL30-550BL18


Tilt




WL35-550BL12



WL35-550BL14



WL35-550BL16



WL35-550BL18


Full motion



WL40-550BL12



WL40-550BL14



WL40-550BL16



WL40-550BL18



WL40-540BL12



WL40-540BL14


LEVEL | 550




Fixed




WL30S-850BL12



WL30S-850BL14



WL30S-850BL16



WL30S-850BL18

Tilt




WL35S-850BL12



WL35S-850BL14



WL35S-850BL16



WL35S-850BL18


Full motion




WL40S-850BL12



WL40S-850BL14




WL40S-850BL16



WL40S-850BL18




WL40S-840BL12



WL40S-840BL14

LEVEL | 850



Questions? Don't hesitate to contact us  
at phone number +31 (0)23-5478888 or mail to [sales@neomounts.com](mailto:sales@neomounts.com)

Wateringweg 62 | 2031 EJ Haarlem | The Netherlands | +31(0)23-5478888 | [info@neomounts.com](mailto:info@neomounts.com)  
[www.neomounts.com](http://www.neomounts.com)